

Ricinash Renewable Materials Private Limited

202/203 Magnum Opus, Shantinagar Industrial Estate, Vakola, Santacruz (E), Mumbai 400055, Maharashtra, INDIA Tel: ++91-22-66963707 Email: <u>ricinash@gmail.com</u> CIN No. U15140MH1997PTC105499

Product Data Sheet - rev.01/04/23



HSN: 29157090

Description

RiWay-Sx is a fatty acid ester made from 100% renewable raw materials derived from plant origin. It has versatile properties that allow it to act as: lubricant, antistatic etc.

Characteristic Values*

		AOCS	RiWay-Sx
Properties	Units	Test Method	PGS
Physical:			
Appearance	@ 25°C	Visual	Ivory Flakes/Beads
Clarity molten form	Gardner Tube	Visual	Clear
Color molten form	Gardner Scale	Visual	5 max.
Moisture	%	Ca 2c-25	1 Max
Melting Point	@ 25°C	Cc-1-25	54 +/- 2
Chemical:			
Acid Value	mg KOH/g	Cd 3d-63	6 Max
Saponification. Value	mg KOH/g	Cd 3-25	120 - 140
Iodine Value	cg I ₂ /g	Tg 1-64	3 Max
Hydroxyl Value	mg KOH/g	Cd 13-60	230 - 250
Soap as K Stearate	%	RRMPL	0.3 max

^{*}Slight variations in the characteristic values stated are possible due to production made out of natural raw materials but it shall have no influence on its application functionalities.

Packing: In Bags (net wt. 25 kgs)

Shelf Life / Storage: Shelf life is 12 months from manufacturing date when stored in a cool place ($< 35^{\circ}$ C),

in tightly closed packaging, protected from dust, heat, & moisture.

Applications

Industry:	Function	Benefits	Dosage
Plastics			%
PVC	External Lubricant	Mold Release	0.3 – 1.0
PP, PE	Anti-Static Agent	Reduces Static Charge, Minimizes Dust Pick-up	0.3 – 1.0

Authorization: (sign not necessary if emailed doc.)

Approved by:	Approved by:	Approved by:
TECH: EX	MFGN: EX	MKTG: EX

The information contained in this document is based on our own research and development and is to the best of our knowledge reliable. Users should, however, conduct their own tests to determine the suitability of our products for their own specific purposes and the legal status for their intended use of the product. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for the infringement of any patents.